


 $\mathsf{W} \; \mathsf{W} \; \mathsf{W} \; . \; \mathsf{K} \; \mathsf{E} \; \mathsf{T} \; \mathsf{R} \; \mathsf{O} \; \mathsf{W} \; \mathsf{A} \; . \; \mathsf{C} \; \mathsf{O} \; \mathsf{M}$ 

# ABOUT KETROWA

Providing materials and equipment for construction projects is always one of the most important concerns of builders and project managers. The importance of this issue stems from its direct impact on the project schedule, construction cost, and final building value. With the aim of facilitating the process of providing construction goods and taking into account its social responsibility, Ketrowa team has created a comprehensive and online system. In this system, builders will be able to prepare the schedule for the supply of materials and equipment for their construction projects and order the supply of goods based on the plan. These orders are made by comparing various products available in the system. Mass builders are the most important target customers of Ketrowa, and Ketrowa tries to supply and deliver goods on time to the consumer by logical planning for manufacturers and by providing cash and credit purchase model. Also, due to the reception and request for the supply of construction products for foreign markets, the supply of construction products for export markets is another main goal of Ketrowa. Ketrowa plans to transform the traditional and opaque market into a modern, high-speed and accurate market where buyers can get the quality goods they want at the most appropriate price.





ELECTRICAL FACILITIES

SANITARY

4

3 2

Products are produced and supplied in five branches:

Structure, Electrical Facilities, Mechanical, Heating & Cooling Facilities, Sanitary, Joinery & Finishing., combining art and industry.

STRUCTURE

JOINERY & FINISHING

5





### **Eyetech Smart Lock**

**Face Recognition ≤50 users** 

PIN Code ≤200 users

Cards ≤200 users

Finger Prints ≤50 users

**App Support: U-smart or Tuya** 

Door Thickness: 40 to 120 mm

Working Temperature: 70 to -40 degrees Celsius

Working Humidity: 0 to 90% RH

Dimensions: 70 (width) - 421 (height) - 64.3 (thickness)

**Mechanical Emergency Keys: 5 Number** 

Safety Alarms: Warning of attempted unauthorized entry and insufficient charge

**Power Supply: Type C 7.4V Lithium Battery** 

**Charge Retention Period: Up to 3 Months** 

**Body Material: Aluminum Alloy** 

**Remote Control: Upon Customer Request** 

Colour: Dark Gray - Mocha Brown

Compatible Current: 3 to 500 mA





## **Ecotech Smart Lock**

Remote Control by Detection App

Finger Print

PIN Code

**Entry by Card** 

Mechanical Key and Emergency Charging





### **Hotel Smart Lock**

**Control by Login Application with Pass Card** 

Mechanical Key and Emergency Charging with the Ability to Connect to the Central System

Guarantee: 5 years guarantee and 10 years after sales service and support



**3D Face Recognition** 

PIN Code ≤200 users

Finger Prints ≤120 users

Number of included mechanical keys: 2 pcs

**App Support: TTlock** 

Door Thickness: 40 to 120 mm

**Working Temperature: 70 to -20 degrees Celsius** 

Working Humidity: 20 to 90% RH

Dimensions: 72 (width) - 360 (height) - 25 (thickness)

**Mechanical Emergency Keys: 5 pcs** 

Safety Alarms: Warning of attempted unauthorized entry and insufficient charge

**Power Supply: 4 Alkaline Pen Batteries** 

**Charge Retention Period: 4 to 6 Months** 

**Body Material: Aluminum Alloy** 

**Remote Control: Upon Customer Request** 

**Colour: Gray** 

**Compatible Current: 200 mA** 



### 4-Way Glass Door

PIN Code ≤200 users

Finger Prints ≤120 users

Number of included mechanical keys: 2 pcs

App Support: TTlock

Door Thickness: 40 to 120 mm

Working Temperature: 70 to -20 degrees Celsius

Working Humidity: 20 to 90% RH

Dimensions: 72 (width) - 360 (height) - 25 (thickness)

**Mechanical Emergency Keys: 5 pcs** 

Safety Alarms: Warning of attempted unauthorized entry and insufficient charge

Power Supply: 4 Alkaline Pen Batteries

**Charge Retention Period: 4 to 6 Months** 

Body Material: Aluminum Alloy

**Remote Control: Upon Customer Request** 

**Colour: Gray** 

**Compatible Current: 200 mA** 



# IN KETROWA BUSINESS MODEL, MASS BUILDERS ARE THE MOST IMPORTANT TARGET CUSTOMERS.

