



WWW.KETROWA.COM

About Ketrowa

Providing materials and equipment for construction projects is always one of the most important concerns of builders and project managers. The importance of this issue stems from its direct impact on the project schedule, construction cost, and final building value. With the aim of facilitating the process of providing construction goods and taking into account its social responsibility, Ketrowa team has created a comprehensive and online system. In this system, builders will be able to prepare the schedule for the supply of materials and equipment for their construction projects and order the supply of goods based on the plan. These orders are made by comparing various products available in the system. Mass builders are the most important target customers of Ketrowa, and Ketrowa tries to supply and deliver goods on time to the consumer by logical planning for manufacturers and by providing cash and credit purchase model. Also, due to the reception and request for the supply of construction products for foreign markets, the supply of construction products for export markets is another main goal of Ketrowa. Ketrowa plans to transform the traditional and opaque market into a modern, high-speed and accurate market where buyers can get the quality goods they want at the most appropriate price.



MECHANICAL, HEATING
& COOLING FACILITIES

ELECTRICAL
FACILITIES

SANITARY

JOINERY &
FINISHING

STRUCTURE

Products are produced and
supplied in five branches:
Structure, Electrical
Facilities, Mechanical, Heating &
Cooling Facilities, Sanitary, Joinery &
Finishing., combining art and industry.

3

2

1

5

4

2025


WWW.KETROWA.COM

COLLECTION 120X240 CM

ICONIC




RANDOM



BOOKMATCH


VIRDIAN BLACK



BELLAZZA



RANDOM



BOOKMATCH

VIRDIAN GREEN



ARABESCATO




RANDOM



BOOKMATCH

LANZO



CALLACCATE
TOPPO




BLUE
WATERFALL



ANDROMEDA




RANDOM




BOOKMATCH


MORGAN



RAYAN



MOSEBY






5 FACES

1200X2400 MM

NANO POLISHED

9mm

■ **ANDROMEDA** RANDOM
BLACK



FACE A

FACE B

FACE C

FACE D

FACE E



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



ANDROMEDA BLACK
RANDOM




2 FACES

1200X2400 MM

NANO POLISHED

9mm

■ **ANDROMEDA** BOOKMATCH
BLACK



FACE A

FACE B



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



ANDROMEDA BLACK
BOOKMATCH

ANIMA 120x120
LIGHT



2 FACES

1200X2400 MM

NANO POLISHED
MATT

9mm

■ **ARABESCATO** BOOKMATCH
BEIGE



FACE A

FACE B



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



ARABESCATO BEIGE
BOOKMATCH



6 FACES

1200X2400 MM

NANO POLISHED
MATT

9mm

ARABESCATO RANDOM
BEIGE



FACE A

FACE B

FACE C

FACE D

FACE E

FACE F



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



ARABESCATO BEIGE
RANDOM



2 FACES

1200X2400 MM

NANO POLISHED

9mm

BELLAZZA BOOKMATCH
BEIGE



FACE A

FACE B



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



BELLAZZA BEIGE
BOOKMATCH




2 FACES

1200X2400 MM

NANO POLISHED

9mm

VIRDIAN BLACK BOOKMATCH
ANTHRACITE



FACE A

FACE B



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



VIRDIAN BLACK ANTHRACITE
BOOKMATCH




6 FACES

1200X2400 MM

NANO POLISHED

9mm

■ **BLUE WATER FALL** RANDOM
DARK BLUE



FACE A

FACE B

FACE C

FACE D

FACE E

FACE F



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



BLUE WATER FALL DARK BLUE
RANDOM




6 FACES

1200X2400 MM

NANO POLISHED

9mm

■ **LANZO** RANDOM
BLACK



FACE A

FACE B

FACE C

FACE D

FACE E

FACE F



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



LANZO BLACK
RANDOM




6 FACES

1200X2400 MM

NANO POLISHED

9mm

■ **MORGAN** RANDOM
LIGHT



FACE A

FACE B

FACE C

FACE D

FACE E

FACE F



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



ANDROMEDA
BLACK 120x240

MORGAN LIGHT
RANDOM

GOLDEN CATIA
BEIGE 120x120



6 FACES

1200X2400 MM

NANO POLISHED

9mm

RAYAN RANDOM
BLACK



FACE A

FACE B

FACE C

FACE D

FACE E

FACE F



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



RAYAN BLACK
RANDOM



4 FACES

1200X2400 MM

NANO POLISHED

9mm

BELLAZZA RANDOM
BEIGE



FACE A

FACE B

FACE C

FACE D



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



BELAZZA BEIGE
RANDOM

ANIMA BEIGE 120x120




4 FACES

1200X2400 MM

NANO POLISHED

9mm

MOSEBY RANDOM
BLACK



FACE A

FACE B

FACE C

FACE D



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



MOSEBY BLACK
RANDOM



4 FACES

1200X2400 MM

NANO POLISHED

9mm

■ **CALLACATTA TOPPO** RANDOM
LIGHT



FACE A

FACE B

FACE C

FACE D



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



CALACATTA TOPPOLIGHT
RANDOM




2 FACES

1200X2400 MM

NANO POLISHED

9mm

■ VIRDIAN GREEN BOOKMATCH GREEN



FACE A

FACE B



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



VIRDIAN GREEN
BOOKMATCH

SALSA BEIGE 120x120




2 FACES

1200X2400 MM

NANO POLISHED

9mm

ICONIC BOOKMATCH
BEIGE



FACE A

FACE B



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



ICONIC BEIGE
BOOKMATCH

SALSA BEIGE 120x120



4 FACES

1200X2400 MM

NANO POLISHED

9mm

■ **ICONIC** RANDOM
BEIGE



FACE A

FACE B

FACE C

FACE D



POLISHED



RECTIFY



PORCELAIN



WALL
TILES



INDOOR
TILES



FLOOR
TILES



ICONIC BEIGE
RANDOM

TECHNICAL CHARACTERISTICS OF KETROWA

Name and kind of product	Glazed porcelain Tile		Manufaturer Company	Novin ceram co
Type of a application	Floor/wall			
Place of application	Indoor&outdoor		Standard	ISO 13006:2012/IQS:1704/6/1997
Nominal dimensions(mm)	1200	2700	Group	Bla
Working dimensions(mm)	1200	2700	Thickness (mm)	9 MM
Address of manufacturer	4km,Sefidkoooh area , taft police station , yazd.iran			

N	Characteristic		test result			Results	Test limit	Test Method		
			min	max	average			ISO 13006	IQS: 1704/6	
1	Dimensions and nature of the surface (mm)	1- 1	Length(mm)	1198	1202	1200	± 0.05%	± 0.5%	ISO 10545-2	Reference guideline number 256 / 1 on determining dimensions and nature of the surface of ceramic Tiles used for floors and walls ± 0.03%
			Width(mm)	2698	2702	2700	± 0.01%			
			variation of the average size of each tile			± 0.05%	± 0.5%			
			1- 2	Thickness(mm)	8.8	9.2	9.0			
		1- 3	Side straightness			<±0.1%	± 0.5%			
		1- 4	Angularity			<±0.1%	± 0.5%			
		1- 5	Surface	Tile center convexity			± 0.18%	± 0.5%		
			leveling(%)	Edge convexity			± 0.13%			
				Warpage			0.2%			
		1- 6	Nature of the surface			95%	Atleast 95% of the tiles shall be free of clear visible defect			
2	Physical properties	2- 1	water absorption(%)			0.4%	E≤0.5	ISO 10545-3	256 / 8	
		2- 2	Breakage strength (N)			2650	Not less 1500	ISO 10545-4	Reference guideline number 256/2 on Determination of breakage index	
			Modulus of Rupture(N/mm2)			47	Minimum 32	ISO 10545-4		
		2- 3	Resistance to Abrasion			300circle ok	Minimum class 1	ISO 10545-7	In draft form bearing the number 256 / 10	
		2- 4	Linear Thermal Dilatation index with ambient temperature to 100			Non compulsory 9*10-6	9*10-6per kelvin maximum	ISO 10545-8	In draft form bearing the number 256 / 9	
		2- 5	Resistance to thermal shock			—	test method available	ISO 10545-9	256 / 4	
		2- 6	Resistance of Glazed tiles to crazing			ok no crazing	No crazing	ISO 10545-11	In draft form bearing the number 256 / 5	
		2- 7	Detarmination of frost Resistance			ok	should be Acceptable	ISO 10545-12		
3	Chemical properties	3- 1	Resistance to staining Glazed Tiles			class3	Minimum class3	ISO 10545-13	256 / 6 on	
		3- 2	Resistance to Household chemicals and swimming pool salts			GB	Minimum class GB	ISO 10545-13 ISO 10545-14	Reference guideline number 256/ 3 on Determination of Resistance of unglazed tiles to chemicals	
		3- 3	RESISTANCE TO low concentraition Acids and Alkalis		GLB	Minimum class GB				
			RESISTANCE TO HIGH concentraition Acids and			test method available				
4	Pachaging & marking						Accepted			



info@ketrowa.com

www.ketrowa.com